

Driver - Standard Ball

No	Carry Dist	Roll	Total Dist	Lateral	Curve Dist	Ball	Club	Smash	Time	Spin	Spin Axis	Club Path	V Swing	H Swing	V Launch	H Launch	V Descent	Height	AOA	Dyn. Loft	Spin Loft	Low Point	FTP	FTT	Shot Type
1	260.8	14.9	275.7	23.7 L	2.8 L	165.8	112.1	1.48	5.8	2621	7.2 L	0.1 L	50.6	0.2 R	9.2	2.7 L	32.0	77.3	0.3	10.0	10.1	-0.3	2.8 L	2.9 L	Draw
2	267.0	10.7	277.7	16.0 L	2.0 L	165.3	111.2	1.49	6.3	2579	4.2 L	0.2 L	50.7	0.6 R	9.5	1.7 L	36.9	92.8	0.9	10.1	9.3	-1.0	1.6 L	1.8 L	Draw
3	268.1	8.6	276.8	14.3 L	1.7 L	166.5	112.6	1.48	6.6	2869	3.5 L	0.8 L	51.8	0.5 R	9.7	1.6 L	39.3	100.9	1.6	10.3	8.7	-1.9	0.8 L	1.6 L	Draw
4	273.6	8.7	282.4	4.4 R	2.6 R	165.2	112.5	1.47	6.7	2698	5.3 R	0.6 L	50.7	0.1 L	11.6	1.3 L	40.1	110.4	0.6	13.0	12.5	-0.7	0.8 L	1.4 L	Fade
5	271.8	9.8	281.6	17.3 L	1.3 L	165.7	110.4	1.50	6.5	2817	2.7 L	1.3 L	51.2	0.1 L	9.4	2.5 L	37.5	96.0	1.5	9.8	8.4	-1.7	1.3 L	2.6 L	Draw
6	259.6	14.5	274.1	29.5 L	3.3 L	165.2	109.4	1.51	5.8	2487	8.3 L	2.5 L	50.5	0.4 L	9.2	3.6 L	32.6	78.1	2.6	9.5	7.1	-3.0	1.2 L	3.7 L	Hook
7	275.1	9.5	284.6	16.1 L	0.2 R	165.1	110.5	1.49	6.6	2672	0.4 R	1.7 L	51.4	0.5 R	10.2	3.6 L	38.8	103.4	2.8	10.6	8.0	-3.2	2.0 L	3.7 L	Pull
8	276.8	9.3	286.0	26.7 L	2.5 L	165.0	113.1	1.46	6.8	2535	5.0 L	2.1 L	51.6	1.6 L	11.7	3.4 L	40.0	111.4	0.6	13.1	12.6	-0.7	1.5 L	3.6 L	Draw
DEV	6.0	2.4	4.1	9.7 R	1.8 R	0.5	1.2	0.02	0.3	124	4.1 R	0.8 R	2.2	0.7 R	1.0	0.9 R	3.0	12.3	0.9	1.3	1.9	1.0	0.6 R	0.9 R	-
AVG	269.1	10.8	279.8	17.4 L	1.4 L	165.5	111.5	1.48	6.4	2660	3.1 L	1.2 L	51.1	0.1 L	10.1	2.5 L	37.2	96.3	1.4	10.8	9.6	-1.6	1.5 L	2.7 L	-

2 Iron - Standard Ball

No	Carry Dist	Roll	Total Dist	Lateral	Curve Dist	Ball	Club	Smash	Time	Spin	Spin Axis	Club Path	V Swing	H Swing	V Launch	H Launch	V Descent	Height	AOA	Dyn. Loft	Spin Loft	Low Point	FTP	FTT	Shot Type
1	217.2	6.8	223.9	1.7 L	0.1 R	142.2	100.1	1.42	6.0	3231	0.2 R	2.9 L	58.7	5.7 L	11.4	0.6 L	40.2	86.9	-4.6	15.1	19.9	4.3	2.8 R	0.1 L	Straight
2	230.5	1.5	232.0	1.5 R	0.5 R	147.9	99.4	1.49	6.2	7554	1.2 R	0.6 L	60.9	2.7 L	10.5	0.2 L	40.1	91.1	-3.8	13.1	16.9	3.4	0.5 R	0.1 L	Straight
AVG	223.9	4.1	228.0	0.1 L	0.3 R	145.1	99.7	1.45	6.1	5392	0.7 R	1.7 L	59.8	4.2 L	10.9	0.4 L	40.1	89.0	-4.2	14.1	18.4	3.9	1.6 R	0.1 L	-

3 Wood - Standard Ball

No	Carry Dist	Roll	Total Dist	Lateral	Curve Dist	Ball	Club	Smash	Time	Spin	Spin Axis	Club Path	V Swing	H Swing	V Launch	H Launch	V Descent	Height	AOA	Dyn. Loft	Spin Loft	Low Point	FTP	FTT	Shot Type
1	246.7	4.0	250.7	16.4 L	0.2 L	157.9	104.1	1.52	6.9	4060	0.3 L	3.4 L	54.1	5.5 L	10.4	3.5 L	45.2	114.2	-2.8	12.6	15.4	3.0	0.1 L	3.6 L	Pull
2	252.4	5.7	258.1	9.2 L	0.3 R	159.2	106.9	1.49	6.6	3804	0.6 R	3.6 L	53.9	6.4 L	8.9	2.3 L	41.4	100.9	-3.8	10.8	14.7	4.1	1.5 R	2.1 L	Straight
AVG	249.6	4.8	254.4	12.8 L	0.1 R	158.5	105.5	1.50	6.7	3932	0.1 R	3.5 L	54.0	5.9 L	9.6	2.9 L	43.3	107.5	-3.3	11.7	15.0	3.6	0.7 R	2.8 L	-

5 Iron - Standard Ball

No	Carry Dist	Roll	Total Dist	Lateral	Curve Dist	Ball	Club	Smash	Time	Spin	Spin Axis	Club Path	V Swing	H Swing	V Launch	H Launch	V Descent	Height	AOA	Dyn. Loft	Spin Loft	Low Point	FTP	FTT	Shot Type
----	------------	------	------------	---------	------------	------	------	-------	------	------	-----------	-----------	---------	---------	----------	----------	-----------	--------	-----	-----------	-----------	-----------	-----	-----	-----------

1	187.5	3.5	191.0	10.6 L	1.3 L	130.5	95.0	1.37	5.7	4877	3.5 L	0.8 R	54.7	2.0 L	10.8	1.7 L	40.9	75.4	-3.8	13.7	17.8	3.7	3.0 L	2.2 L	Draw
2	189.7	1.7	191.3	10.9 R	1.8 R	133.2	95.6	1.39	6.1	5574	4.3 R	0.5 L	54.8	3.7 L	12.4	1.0 R	45.7	92.5	-4.6	16.6	21.2	4.2	1.8 R	1.3 R	Fade
3	196.9	1.9	198.8	13.7 L	2.1 L	136.0	95.9	1.42	6.3	5452	4.5 L	1.4 L	57.7	5.0 L	11.9	1.5 L	45.4	96.6	-5.6	16.4	22.0	5.1	0.1 L	1.5 L	Draw
4	194.6	2.0	196.6	6.7 L	1.0 L	135.5	95.1	1.42	6.2	5417	2.1 L	0.7 L	54.8	3.8 L	11.0	0.8 L	44.4	91.3	-4.5	14.3	18.8	4.3	0.2 L	0.9 L	Draw
5	200.0	3.1	203.1	7.5 R	0.3 R	136.0	96.1	1.42	6.0	4982	0.7 R	1.1 R	55.0	2.7 L	12.1	1.9 R	43.0	89.2	-5.4	16.5	22.0	5.2	0.9 R	2.0 R	Straight
DEV	4.6	0.7	4.6	9.9 R	1.4 R	2.2	0.4	0.02	0.2	277	3.2 R	0.9 R	0.7	1.0 R	0.6	1.4 R	1.8	7.2	0.7	1.2	1.7	0.6	1.6 R	1.6 R	-
AVG	193.7	2.4	196.2	2.5 L	0.4 L	134.2	95.5	1.40	6.1	5260	1.0 L	0.1 L	55.4	3.4 L	11.6	0.2 L	43.9	89.0	-4.8	15.5	20.4	4.5	0.1 L	0.2 L	-

6 Iron - Standard Ball

No	Carry Dist	Roll	Total Dist	Lateral	Curve Dist	Ball	Club	Smash	Time	Spin	Spin Axis	Club Path	V Swing	H Swing	V Launch	H Launch	V Descent	Height	AOA	Dyn. Loft	Spin Loft	Low Point	FTP	FTT	Shot Type
1	181.0	1.3	182.2	2.5 L	1.7 L	130.0	92.1	1.41	6.2	5931	4.1 L	3.9 R	60.2	1.2 R	14.7	1.3 R	47.2	99.2	-4.7	20.4	25.4	4.0	3.4 L	0.5 R	Draw
2	177.5	0.8	178.3	1.7 R	0.3 L	130.3	92.7	1.40	6.2	6820	0.6 L	3.2 R	59.1	0.2 R	14.3	0.8 R	47.7	98.2	-5.0	19.9	25.1	4.5	3.1 L	0.1 R	Straight
3	176.7	1.3	178.0	5.6 R	0.5 R	128.3	91.5	1.40	5.9	6164	1.1 R	0.4 R	56.5	4.3 L	12.9	1.1 R	44.7	87.2	-7.1	19.1	26.2	6.4	1.0 R	1.4 R	Straight
4	182.7	1.7	184.3	11.1 L	2.0 L	128.7	90.5	1.42	6.1	5775	5.1 L	1.1 R	57.9	1.9 L	13.9	1.0 L	44.9	91.7	-4.7	19.1	23.9	4.1	2.6 L	1.5 L	Draw
DEV	2.4	0.3	2.7	6.2 R	1.0 R	0.8	0.8	0.01	0.1	399	2.5 R	1.5 R	0.4	2.1 R	0.6	0.9 R	1.3	4.9	1.0	0.6	0.8	1.0	1.8 R	1.1 R	-
AVG	179.5	1.3	180.7	1.6 L	0.9 L	129.3	91.7	1.41	6.1	6173	2.2 L	2.2 R	58.4	1.2 L	14.0	0.6 R	46.1	94.1	-5.4	19.6	25.2	4.7	2.0 L	0.1 R	-

7 Iron 9 - Standard Ball

No	Carry Dist	Roll	Total Dist	Lateral	Curve Dist	Ball	Club	Smash	Time	Spin	Spin Axis	Club Path	V Swing	H Swing	V Launch	H Launch	V Descent	Height	AOA	Dyn. Loft	Spin Loft	Low Point	FTP	FTT	Shot Type
1	168.7	0.6	169.3	3.9 L	0.1 L	125.2	90.5	1.38	6.1	6860	0.4 L	3.5 R	63.8	0.1 R	17.1	1.1 L	48.5	100.6	-6.8	26.6	34.0	6.1	6.4 L	2.8 L	Straight
2	168.2	1.0	169.2	3.1 R	0.4 L	123.3	89.2	1.38	6.0	6729	1.0 L	0.6 R	59.1	3.7 L	16.2	1.6 R	45.5	92.0	-7.1	24.8	31.9	6.3	1.4 R	1.9 R	Straight
3	155.9	0.9	156.8	7.0 R	1.0 R	117.6	86.0	1.37	5.5	6799	3.3 R	0.9 R	58.7	3.9 L	15.9	1.0 R	44.7	79.7	-7.8	24.9	32.7	7.0	0.2 R	1.1 R	Fade
4	161.1	3.4	164.5	2.6 L	0.5 L	121.5	89.1	1.36	5.8	3638	1.3 L	0.0 L	59.2	4.3 L	15.1	0.2 L	46.5	86.3	-7.2	22.9	30.1	6.4	0.3 L	0.3 L	Straight
5	161.9	0.6	161.3	4.0 L	0.9 L	122.8	88.9	1.38	5.9	9480	2.4 L	1.1 R	61.6	2.6 L	15.5	0.2 L	47.3	89.6	-6.8	23.3	30.2	5.6	1.8 L	0.6 L	Draw
6	156.3	0.6	156.9	8.7 R	1.5 R	119.9	90.0	1.33	5.6	7257	4.6 R	0.3 L	56.4	7.4 L	14.5	0.9 R	45.5	79.8	-10.4	24.6	35.0	9.8	1.8 R	1.5 R	Fade
7	164.4	0.8	165.2	7.6 R	0.9 R	121.7	90.5	1.34	5.9	6510	2.6 R	1.1 R	60.4	3.9 L	15.7	1.3 R	47.2	90.6	-8.8	25.4	34.2	7.6	0.3 R	1.4 R	Fade
8	161.9	0.1	161.8	5.0 R	0.2 R	125.3	89.2	1.40	5.7	8828	0.6 R	2.2 R	62.1	0.5 L	15.6	1.5 R	46.1	85.2	-5.1	22.1	27.2	4.2	1.0 L	1.2 R	Straight
9	164.7	1.0	165.7	6.1 R	0.5 R	122.7	87.0	1.41	5.9	6361	1.4 R	1.0 R	59.6	2.4 L	16.9	1.4 R	46.7	91.4	-5.7	25.0	30.7	4.7	0.6 R	1.6 R	Straight
10	167.8	0.9	168.7	2.0 R	0.1 L	123.8	89.1	1.39	6.0	6567	0.2 L	3.0 R	61.5	0.2 L	15.9	0.8 R	46.7	92.2	-6.0	23.4	29.6	4.8	3.0 L	0.0 R	Straight
DEV	4.3	0.8	4.4	4.6 R	0.7 R	2.2	1.4	0.02	0.2	1474	2.1 R	1.2 R	0.9	2.2 R	0.7	0.8 R	1.0	6.0	1.5	1.3	2.3	1.6	2.3 R	1.4 R	-

AVG	163.1	1.0	164.0	2.9 R	0.2 R	122.4	89.0	1.38	5.8	6903	0.7 R	1.3 R	60.2	2.9 L	15.8	0.7 R	46.5	88.8	-7.2	24.3	31.6	6.3	0.8 L	0.5 R	-
-----	-------	-----	-------	-------	-------	-------	------	------	-----	------	-------	-------	------	-------	------	-------	------	------	------	------	------	-----	-------	-------	---

8 Iron 9 - Standard Ball

No	Carry Dist	Roll	Total Dist	Lateral	Curve Dist	Ball	Club	Smash	Time	Spin	Spin Axis	Club Path	V Swing	H Swing	V Launch	H Launch	V Descent	Height	AOA	Dyn. Loft	Spin Loft	Low Point	FTP	FTT	Shot Type
1	159.3	0.3	159.5	5.5 L	1.7 L	119.0	87.3	1.36	6.0	7471	4.9 L	6.2 R	61.6	2.0 R	18.3	0.5 R	48.5	97.1	-7.8	29.7	38.3	6.8	8.3 L	2.1 L	Draw
2	154.3	2.6	157.0	7.0 L	1.0 L	119.9	86.9	1.38	5.3	4858	4.3 L	4.3 R	63.2	2.4 R	19.0	1.1 L	44.6	80.5	-3.7	27.5	32.1	2.9	7.5 L	3.2 L	Draw
3	159.4	0.6	160.0	6.8 L	1.4 L	119.0	87.5	1.36	5.9	7450	4.1 L	2.2 R	59.8	2.6 L	17.7	0.5 L	47.1	92.6	-8.2	28.7	37.1	7.2	3.8 L	1.6 L	Draw
4	160.2	0.3	160.5	2.4 L	1.0 L	121.3	89.3	1.36	6.0	7111	3.1 L	5.6 R	59.9	0.2 R	18.4	0.7 R	49.4	98.6	-9.2	31.2	41.0	8.7	7.2 L	1.6 L	Draw
5	154.0	0.4	153.6	3.9 R	0.7 L	119.5	87.7	1.36	6.0	8273	2.1 L	4.2 R	61.0	0.1 L	19.5	2.5 R	50.0	98.9	-7.7	31.6	39.5	6.7	2.5 L	1.7 R	Draw
6	155.8	0.1	155.8	1.5 R	0.4 L	118.8	87.5	1.36	5.9	7541	1.4 L	4.6 R	63.7	2.0 R	19.7	1.2 R	49.3	98.0	-5.1	29.8	35.2	4.1	4.7 L	0.2 L	Straight
DEV	2.5	0.9	2.5	4.2 R	0.4 R	0.8	0.8	0.01	0.2	1069	1.2 R	1.3 R	1.2	1.7 R	0.7	1.2 R	1.9	6.5	1.9	1.4	2.9	2.0	2.1 R	1.5 R	-
AVG	157.2	0.7	157.7	2.7 L	1.0 L	119.6	87.7	1.36	5.9	7117	3.3 L	4.5 R	61.5	0.7 R	18.8	0.5 R	48.2	94.3	-7.0	29.7	37.2	6.1	5.7 L	1.2 L	-

9 Iron 9 - Standard Ball

No	Carry Dist	Roll	Total Dist	Lateral	Curve Dist	Ball	Club	Smash	Time	Spin	Spin Axis	Club Path	V Swing	H Swing	V Launch	H Launch	V Descent	Height	AOA	Dyn. Loft	Spin Loft	Low Point	FTP	FTT	Shot Type
1	137.5	0.3	137.2	7.3 L	0.7 L	108.0	84.9	1.27	5.6	8084	2.7 L	0.5 R	62.9	2.8 L	21.4	1.7 L	49.6	89.8	-6.4	34.1	40.5	5.4	3.1 L	2.7 L	Draw
2	141.7	0.3	141.4	7.2 L	0.7 L	111.5	86.4	1.29	5.8	7841	2.6 L	2.1 R	66.3	0.8 L	22.1	1.5 L	50.6	97.1	-6.6	35.8	42.7	5.6	5.4 L	3.3 L	Draw
3	138.4	0.3	138.1	4.7 L	0.1 L	109.7	86.2	1.27	5.6	8204	0.4 L	0.0 R	61.6	3.6 L	22.0	1.7 L	49.1	90.2	-6.6	35.5	42.2	5.6	2.5 L	2.5 L	Straight
4	-	-	-	-	0.0	-	87.2	-	0.0	-	-	0.9 L	62.4	5.1 L	-	-	-	-	-7.9	0.5	8.4	6.5	1.0 R	0.1 R	-
5	141.1	0.7	140.4	4.0 L	0.0 L	112.8	87.7	1.29	5.8	8603	0.1 L	2.3 R	68.3	1.1 L	21.3	1.5 L	51.2	95.8	-8.5	36.1	44.9	7.6	5.6 L	3.3 L	Straight
6	138.2	0.6	137.7	1.9 L	0.0 L	110.9	85.6	1.30	5.7	8539	0.0 L	3.1 R	67.1	1.7 R	20.6	0.7 L	50.1	90.5	-3.3	30.0	33.7	2.5	5.3 L	2.2 L	Straight
7	135.8	0.3	135.5	0.9 L	0.2 R	107.7	86.4	1.25	5.5	8724	0.9 R	0.2 R	63.0	3.4 L	19.5	0.7 L	47.4	81.9	-7.0	31.0	38.0	5.7	1.3 L	1.1 L	Straight
8	137.3	0.2	137.5	3.4 L	0.2 L	111.1	86.7	1.28	5.7	6489	0.7 L	1.9 R	67.4	1.0 L	21.7	1.0 L	52.1	95.0	-6.9	35.3	42.4	5.7	4.3 L	2.4 L	Straight
9	135.6	1.1	136.7	1.1 R	1.5 R	106.4	86.3	1.23	4.9	6919	6.4 R	1.8 L	60.9	6.5 L	15.2	2.2 L	40.4	60.5	-8.5	24.2	32.6	6.9	0.6 L	2.4 L	Fade
10	147.3	0.5	147.8	2.7 L	0.2 L	112.3	87.0	1.29	5.2	8781	1.0 L	3.7 R	70.1	2.5 R	21.5	0.7 L	40.7	76.5	-3.3	31.7	35.5	2.6	6.2 L	2.4 L	Straight
11	134.5	0.6	134.0	0.7 L	1.0 R	109.3	86.7	1.26	5.5	8756	4.0 R	0.2 R	68.3	2.6 L	20.8	2.1 L	49.6	85.7	-6.9	33.4	40.4	5.6	3.3 L	3.1 L	Fade
12	136.4	0.7	135.7	2.6 L	0.0 R	110.6	87.1	1.27	5.6	8954	0.1 R	1.2 L	61.4	5.6 L	20.5	1.1 L	49.9	88.2	-8.0	33.9	41.9	6.9	0.2 R	1.0 L	Straight
13	136.8	0.8	136.0	10.0 L	1.2 L	111.4	86.2	1.29	5.6	9216	4.8 L	1.2 L	61.3	5.2 L	20.9	1.9 L	50.5	89.6	-7.3	34.0	41.3	6.2	1.0 L	2.2 L	Draw
14	138.3	0.1	138.4	3.3 L	0.3 L	109.5	90.3	1.21	5.4	8183	1.1 L	1.3 L	61.9	5.7 L	19.2	0.8 L	46.7	80.6	-8.2	31.5	39.6	6.9	0.8 R	0.5 L	Straight
15	134.5	0.6	135.1	3.0 L	0.3 R	107.6	87.1	1.24	5.4	6653	1.4 R	0.1 R	62.2	5.7 L	20.0	1.8 L	48.4	80.7	-10.9	35.3	46.2	9.9	2.8 L	2.7 L	Straight
16	139.4	0.2	139.2	5.4 L	0.4 L	111.0	86.4	1.28	5.6	8067	1.5 L	1.2 R	62.3	2.8 L	20.8	1.4 L	49.0	88.3	-7.5	34.2	41.9	6.4	3.8 L	2.7 L	Straight

17	141.7	0.2	141.6	7.4 L	1.3 L	111.9	87.0	1.29	5.7	8005	4.7 L	4.2 R	62.8	1.3 R	21.0	0.8 L	49.1	90.7	-5.5	32.7	38.8	4.4	7.1 L	3.0 L	Draw
DEV	3.2	0.3	3.3	2.8 R	0.7 R	1.8	1.1	0.02	1.3	785	2.7 R	1.8 R	0.4	2.7 R	1.6	0.5 R	3.2	8.7	1.8	8.2	8.3	1.7	2.4 R	0.9 R	-
AVG	138.4	0.5	138.3	4.0 L	0.1 L	110.1	86.8	1.27	5.2	8126	0.4 L	0.8 R	64.1	2.7 L	20.5	1.3 L	48.4	86.3	-7.0	31.1	38.3	5.9	3.0 L	2.2 L	-

Sand Wedge 9 - Standard Ball

No	Carry Dist	Roll	Total Dist	Lateral	Curve Dist	Ball	Club	Smash	Time	Spin	Spin Axis	Club Path	V Swing	H Swing	V Launch	H Launch	V Descent	Height	AOA	Dyn. Loft	Spin Loft	Low Point	FTP	FTT	Shot Type
1	86.6	0.7	87.3	2.0 L	0.0 L	78.8	69.9	1.13	4.3	8704	0.2 L	1.4 L	66.5	3.3 L	30.2	1.2 L	48.1	59.9	-4.4	47.4	51.8	3.7	0.2 R	1.1 L	Straight
2	83.1	0.3	83.4	1.8 L	0.2 L	76.0	69.0	1.10	4.2	7540	1.9 L	1.6 R	66.0	3.4 L	30.8	0.7 L	46.6	55.7	-11.1	51.6	62.7	10.9	3.5 L	1.8 L	Straight
3	89.3	1.1	90.4	3.1 L	0.3 R	79.9	68.5	1.17	4.3	8519	2.7 R	1.6 R	60.5	4.1 L	28.3	2.8 L	46.1	57.6	-10.0	47.2	57.5	9.6	6.6 L	5.0 L	Fade
4	82.2	1.5	83.7	2.7 L	0.1 L	76.1	69.7	1.09	4.0	8647	1.4 L	0.2 L	61.2	5.0 L	27.3	1.5 L	43.7	48.8	-8.6	45.2	53.8	8.0	1.9 L	2.1 L	Straight
5	86.5	1.0	87.5	2.4 L	0.2 L	79.7	69.2	1.15	4.2	9037	1.8 L	2.9 R	88.0	3.6 R	28.2	1.0 L	45.7	54.5	-15.3	49.9	65.4	12.0	5.9 L	3.0 L	Straight
6	87.7	0.7	88.4	0.4 R	0.1 R	80.2	69.3	1.16	4.3	9199	1.4 R	0.9 R	65.9	3.9 L	29.0	0.1 L	47.3	58.4	-10.6	48.7	59.3	8.9	1.5 L	0.6 L	Straight
7	87.9	1.8	89.7	2.3 L	0.2 L	78.8	69.1	1.14	4.2	8934	2.3 L	3.3 R	65.3	4.8 L	28.7	0.7 L	42.5	53.7	-15.5	50.7	66.4	13.7	6.0 L	2.7 L	Draw
DEV	2.4	0.5	2.5	1.1 R	0.2 R	1.6	0.4	0.03	0.1	505	1.8 R	1.5 R	1.0	2.7 R	1.1	0.8 R	1.8	3.4	3.6	2.1	5.2	3.0	2.5 R	1.3 R	-
AVG	86.2	1.0	87.2	2.0 L	0.0 L	78.5	69.2	1.13	4.2	8654	0.5 L	1.3 R	67.6	3.0 L	28.9	1.1 L	45.7	55.5	-10.8	48.7	59.6	9.6	3.6 L	2.3 L	-